## PRO PROGRAM WITHOUT FADE



#### **MEASURING BY WEIGHT**

	FEE	Pro Line is grams per gallon, Cleanse is mL per gallon												
MIXING ORDER	CLONE		VI	ΞG		FLOWER								
$\downarrow$	Pre-Soak & Feed	W1	W2	W3	W4	W1	W2	W3	W4	W5	W6	W7	W8	W9
Balance Pro Balance	Use as pH up	i	Balance: Recommended for batch tank mixing and Dosatron. Do not use with Netafle  Pro Balance: Recommended for advanced irrigation systems like Netaflex.											ex.
Pro Grow		7.7	7.7	7.7	7.7									
Pro Bloom	4.9					7.7	7.7	7.7	7.7	7.7	7.7	7.7	3.6	3.6
Pro Core	2.9	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	2.1	2.1
Cleanse	1	2-5	2-5	2-5	2-5	2-5	2-5	2-5	2-5	2-5	2-5	2-5	2-5	2-5
EC	2.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	1.5	1.5
PPM 500	1000	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	750	750
PPM 700	1400	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	1050	1050
рН	5.6	(Co	-6.2 oco/ wool)	(Peat	-6.4 based iums)		(Cc	5.8-6.2 oco/Rockv			6.0-6.4 ased med	diums)		6.0- 6.4 (All)

	S	All measurements are mL per gallon								
APPLICATION FREQUENCY				VE	G	FLOWER				
			W1	W 2	W 3	W 4	W 1	W 2	W 3	
IDM	Preventative	2x Week	90	90	90	90	90	90	90	
IPM	Pressure	3x Week	120	120	120	120	120	120	120	
Charle	Maximize	2x Week	7	7	7	7	7	7	7	
Stack	Can be mixed together with IPM									

**DISCLAIMER** - This is a baseline recommendation. Any adjustments made are at the growers discretion. Adjust the feed chart according to weeks needed to complete a run. Strain dependent.

557
Coco
· pH 5.5 - 5.8
· EC 3.5 - 4.0

PRE-SOAK

# Rockwool

- pH 5.0 5.5
- · EC 2.5 3.0

FLUSH								
RO + Cleanse	10 mL							
EC	<0.1							
PPM 500	<50							
PPM 700	<70							
рН	6.0 - 6.4							
<b>Coco</b> Last 3 days								
Rockwool Last dav								







NOTE: For highest accuracy + consistency, Athena® recommends mixing from a stock tank. Follow our Pro Concentrate Procedure.



Read the entire Directions for Use, Conditions of Warranties, and Limitations of Liability before using this product. If the terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties, and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors such as weather conditions, presence of other materials, or the manner of use or applicable law, Athena Ag, Inc. All such risks shall be assumed by the user or buyer. DISCLAMMER OF WARRANTIES: To the extent consistent with applicable law, the adjust of this product, and the product of the extent consistent with applicable law, the and product of the extent consistent with applicable law, the contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries, or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid, or at Athena Ag Inc.'s election, the replacement of product.









## PRO PROGRAM WITHOUT FADE



### **MEASURING BY WEIGHT**

	FEE	Pro Line is grams per 10 L, Cleanse is mL per 10 L												
MIXING ORDER	CLONE		VI	EG		FLOWER								
$\downarrow$	Pre-Soak & Feed	W1	W2	W3	W4	W1	W2	W3	W4	W5	W6	W7	W8	W9
Balance Pro Balance	Use as pH up		Balance: Recommended for batch tank mixing and Dosatron. Do not use with Netaflex Pro Balance: Recommended for advanced irrigation systems like Netaflex.											ex.
Pro Grow		20.3	20.3	20.3	20.3									
Pro Bloom	12.9					20.3	20.3	20.3	20.3	20.3	20.3	20.3	9.4	9.4
Pro Core	7.7	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	5.7	5.7
Cleanse	3	5-13	5-13	5-13	5-13	5-13	5-13	5-13	5-13	5-13	5-13	5-13	5-13	5-13
EC	2.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	1.5	1.5
PPM 500	1000	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	750	750
PPM 700	1400	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	1050	1050
рН	5.6	5.8- (Co Rock	co/	(Peat	-6.4 based iums)		(Cc	5.8-6.2 oco/Rockv			6.0-6.4 ased med	liums)		6.0- 6.4 (AII)

	S	All measurements are mL per L							
	PPLICATIO			VI	€G	FLOWER			
	FREQUENCY	<i>(</i>	W1	W 2	W 3	W 4	W 1	W 2	W 3
IDM	Preventative	2x Week	24	24	24	24	24	24	24
IPM	Pressure	3x Week	32	32	32	32	32	32	32
Charle.	Maximize	2x Week	2	2	2	2	2	2	2
Stack			Can b	e mixec	l togeth	er with	IPM		

**DISCLAIMER** - This is a baseline recommendation. Any adjustments made are at the growers discretion. Adjust the feed chart according to weeks needed to complete a run. Strain dependent.

PRE-SOAK
Coco
· pH 5.5 - 5.8
· EC 3.5 - 4.0
Rockwool
· pH 5.0 - 5.5
· EC 2.5 - 3.0

FLUSH								
RO + Cleanse	26 mL							
EC	<0.1							
PPM 500	<50							
PPM 700	<70							
рН	6.0 - 6.4							
<b>Coco</b> Last 3 days								
Rockwool Last day								











Read the entire Directions for Use, Conditions of Warranties, and Limitations of Liability before using this product. If the terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties, and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors such as weather conditions, presence of other materials, or the manner of use or applicable law, Athena Ag, Inc. All such risks shall be assumed by the user or buyer. DISCLAMMER OF WARRANTIES: To the extent consistent with applicable law, the adjust of this product, and the product of the extent consistent with applicable law, the and product of the extent consistent with applicable law, the contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries, or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid, or at Athena Ag Inc.'s election, the replacement of product.









### MEASURING BY WEIGHT

## PRO PROGRAM WITH FADE



	FEE	O PRO	GRAM			Pro Line is grams per gallon, Cleanse & Fade are mL per gallon								
MIXING ORDER	CLONE		VE	G		FLOWER								
$\downarrow$	Pre-Soak & Feed	W1	W2	W3	W4	W1	W2	W3	W4	W5	W6	W7	W8	W9
Balance Pro Balance	Use as pH up	i	alance: Recommended for batch tank mixing and Dosatron. Do not use with Netafl ro Balance: Recommended for advanced irrigation systems like Netaflex.									ex.		
Pro Grow		7.7	7.7	7.7	7.7									
Pro Bloom	4.9					7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7
Pro Core	2.9	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	*4.6	**Swa	p Fade
Fade							ore with F Itivar sho						19	19
Cleanse	1	2-5	2-5	2-5	2-5	2-5	2-5	2-5	2-5	2-5	2-5	2-5	2-5	2-5
EC	2.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
PPM 500	1000	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500
PPM 700	1400	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100
рН	5.6		-6.2 aco/ wool)	(Peat	-6.4 based ums)		,	5.8-6.2 oco/Rockv **When	vool)	(Peat b	6.0-6.4 ased med	,		6.0- 6.4 (AII)

	S	All measurements are mL per gallon							
А	APPLICATION			VI	ĒG	FLOWER			
FREQUENCY			W1 W2 W3 W4				W1	W 2	W 3
IPM	Preventative	2x Week	90	90	90	90	90	90	90
IPM	Pressure	3x Week	120	120	120	120	120	120	120
Stack	Maximize	2x Week	7	7	7	7	7	7	7
Stack			Can b	e mixec	l togeth	er with	IPM		

**DISCLAIMER** - This is a baseline recommendation. Any adjustments made are at the growers discretion. Adjust the feed chart according to weeks needed to complete a run. Strain dependent.

PRE-SOAK
Coco

· pH 5.5 - 5.8

· EC 3.5 - 4.0

### Rockwool

- · pH 5.0 5.5
- · EC 2.5 3.0

FLUSH								
RO + Cleanse	10 mL							
EC	<0.1							
PPM 500	<50							
PPM 700	<70							
рН	6.0 - 6.4							
<b>Coco</b> Last 3 days								
Rockwool								

Last day












Read the entire Directions for Use, Conditions of Warranties, and Limitations of Liability before using this product. If the terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties, and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors such as weather conditions, presence of other materials, or the manner of use or applicable law, Athena Ag, Inc. All such risks shall be assumed by the user or buyer. DISCLAMMER OF WARRANTIES: To the extent consistent with applicable law, the adjust of this product, and the product of the extent consistent with applicable law, the and product of the extent consistent with applicable law, the contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries, or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid, or at Athena Ag Inc.'s election, the replacement of product.









#### **MEASURING BY WEIGHT**

## PRO PROGRAM WITH FADE



	FEED PROGRAM							Pro Line is grams per 10 L, Cleanse & Fade are mL per 10 L							
MIXING ORDER	CLONE		VE	EG .		FLOWER									
$\downarrow$	Pre-Soak & Feed	W1	W2	W3	W4	W1	W2	W3	W4	W5	W6	W7	W8	W9	
Balance Pro Balance	Use as pH up					batch tank mixing and Dosatron. Do not use with Netaflex. I for advanced irrigation systems like Netaflex.									
Pro Grow		20.3	20.3	20.3	20.3										
Pro Bloom	12.9					20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	20.3	
Pro Core	7.7	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	*12.2	**Swaj	o Fade	
Fade								ade W8-9 ws resilie					51	51	
Cleanse	3	5-13	5-13	5-13	5-13	5-13	5-13	5-13	5-13	5-13	5-13	5-13	5-13	5-13	
EC	2.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	
PPM 500	1000	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	
PPM 700	1400	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	
рН	5.6	(Co	-6.2 oco/ wool)	(Peat	-6.4 based iums)		,	5.8-6.2 oco/Rockv **When	vool)	(Peat b	6.0-6.4 ased med e verify p	diums)		6.0- 6.4 (All)	

	S	All measurements are mL per L								
А	PPLICATIO	Z		VI	ĒG	FLOWER				
ı	FREQUENCY	<b>′</b>	W1	W 2	W 3	W 4	W1	W 2	W 3	
IPM	Preventative	2x Week	24	24	24	24	24	24	24	
IPM	Pressure	3x Week	32	32	32	32	32	32	32	
Stack	Maximize	2x Week	2	2	2	2	2	2	2	
Stuck	Can be mixed together with IPM									

**DISCLAIMER** - This is a baseline recommendation. Any adjustments made are at the growers discretion. Adjust the feed chart according to weeks needed to complete a run. Strain dependent.

PRE-SOAK									
Coco									
• pH 5.5 - 5.8									
• EC 3.5 - 4.0									
Rockwool									
· pH 5.0 - 5.5									
· EC 2.5 - 3.0									

Rockwool Last day								
<b>Coco</b> Last 3 days								
рН	6.0 - 6.4							
PPM 700	<70							
PPM 500	<50							


**FLUSH** 

26 mL

< 0.1

RO + Cleanse

EC












Read the entire Directions for Use, Conditions of Warranties, and Limitations of Liability before using this product. If the terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties, and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors such as weather conditions, presence of other materials, or the manner of use or applicable law, Athena Ag, Inc. Makes no other warranties, suppose or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on the product's label. No agent of Athena Ag, Inc. Suthorized to make any warranties beyond those contained herein or to modify the warranties expended the product of the user or handling of this product, LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries, or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid, or at Athena Ag Inc.'s election, the replacement of product.









### MEASURING BY CONCENTRATE

## PRO PROGRAM WITH FADE



	FEED PROGRAM							All measurements are mL per gallon based on 2lb per gallon stock tank concentrate.						
MIXING ORDER	CLONE		VE	€G		FLOWER								
$\downarrow$	Pre-Soak & Feed	W1	W2	W3	W4	W1	W2	W3	W4	W5	W6	W7	W8	W9
Balance Pro Balance	Use as pH up					batch tank mixing and Dosatron. Do not use with Netaflex. for advanced irrigation systems like Netaflex.								ex.
Pro Grow		32	32	32	32									
Pro Bloom	20					32	32	32	32	32	32	32	32	32
Pro Core	12	19	19	19	19	19	19	19	19	19	19	*19	**Swaj	o Fade
Fade							ore with F Itivar sho						19	19
Cleanse	1	2-5	2-5	2-5	2-5	2-5	2-5	2-5	2-5	2-5	2-5	2-5	2-5	2-5
EC	2.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
PPM 500	1000	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500
PPM 700	1400	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100
рН	5.6		-6.2 co/ wool)	(Peat	-6.4 based iums)		5.8-6.2 6.0-6.4 (Coco/Rockwool) (Peat based mediums)  **When switching to Fade verify pH.							6.0- 6.4 (AII)

	S	All measurements are mL per gallon								
А	PPLICATIO	N		VE	EG	FLOWER				
F	REQUENCY	<i>(</i>	W1	W 2	W 3	W 4	W1	W 2	W 3	
IPM	Preventative	2x Week	90	90	90	90	90	90	90	
IPIVI	Pressure	3x Week	120	120	120	120	120	120	120	
Stack	Maximize	2x Week	7	7	7	7	7	7	7	
Stack	Can be mixed together with IPM									

**DISCLAIMER** - This is a baseline recommendation. Any adjustments made are at the growers discretion. Adjust the feed chart according to weeks needed to complete a run. Strain dependent.

FLUSH							
RO + Cleanse	10 mL						
EC	<0.1						
PPM 500	<50						
PPM 700	<70						
рН	6.0 - 6.4						
<b>Coco</b> Last 3 days							
<b>Rockw</b> Last d	•••						











Read the entire Directions for Use, Conditions of Warranties, and Limitations of Liability before using this product. If the terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties, and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors such as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Athena Ag, Inc. All such risks shall be assumed by the user or buyer. DISCLAMMEROF WARRANTIES. To the extent consistent with applicable law, Athena Ag, Inc. Makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on the product's label. No agent of Athena Ag, Inc. is authorized to make any warranties beyond those contained herein or to modify the warranties exponential damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid, or at Athena Ag Inc.'s election, the replacement of product.







#### MEASURING BY CONCENTRATE

## PRO PROGRAM WITH FADE



	FEE	O PRO	GRAM			All measurements are mL per 10 L based on 226 grams per liter stock tank concentrate.								
MIXING ORDER	CLONE		VI	ĒG			FLOWER							
$\downarrow$	Pre-Soak & Feed	W1	W2	W3	W4	W1	W2	W3	W4	W5	W6	W7	W8	W9
Balance Pro Balance	Use as pH up	i				batch tank mixing and Dosatron. Do not use with Netaflex. for advanced irrigation systems like Netaflex.								
Pro Grow		90	90	90	90									
Pro Bloom	57					90	90	90	90	90	90	90	90	90
Pro Core	34	54	54	54	54	54	54	54	54	54	54	*54	**Swa	p Fade
Fade								ade W8-9 ws resilie					51	51
Cleanse	3	5-13	5-13	5-13	5-13	5-13	5-13	5-13	5-13	5-13	5-13	5-13	5-13	5-13
EC	2.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
PPM 500	1000	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500
PPM 700	1400	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100
рН	5.6	(Co	-6.2 oco/ wool)	(Peat	-6.4 based iums)		,	5.8-6.2 oco/Rockv **When	vool)	(Peat b	6.0-6.4 ased med e verify p	diums)		6.0- 6.4 (All)

	S	All measurements are mL per L									
А	PPLICATIO	N		VE	EG	FLOWER					
ı	FREQUENCY	<i>'</i>	W1	W 2	W 3	W 4	W1	W 2	W 3		
IPM	Preventative	2x Week	24	24	24	24	24	24	24		
IPIVI	Pressure	3x Week	32	32	32	32	32	32	32		
Stack	Maximize	2x Week	2	2	2	2	2	2	2		
Stack	Can be mixed together with IPM										

**DISCLAIMER** - This is a baseline recommendation. Any adjustments made are at the growers discretion. Adjust the feed chart according to weeks needed to complete a run. Strain dependent.

PRE-SOAK									
Coco									
• pH 5.5 - 5.8									
• EC 3.5 - 4.0									
Rockwool									
· pH 5.0 - 5.5									
• EC 2.5 - 3.0									

FLUSH								
RO + Cleanse	26 mL							
EC	<0.1							
PPM 500	<50							
PPM 700	<70							
рН	6.0 - 6.4							
<b>Coco</b> Last 3 days								
Rockw Last d	•••							









Read the entire Directions for Use, Conditions of Warranties, and Limitations of Liability before using this product. If the terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties, and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors such as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Athena Ag, Inc. All such risks shall be assumed by the user or buyer. DISCLAMMEROF WARRANTIES. To the extent consistent with applicable law, Athena Ag, Inc. Makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on the product's label. No agent of Athena Ag, Inc. is authorized to make any warranties beyond those contained herein or to modify the warranties exponential damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid, or at Athena Ag Inc.'s election, the replacement of product.

